

Embase

Introduzione alla banca dati

Vanna Pistotti
Istituto Mario Negri, Milano

Embase

- La piu' importante banca dati farmacologica e tossicologica
- La combinazione di Embase più Medline con l'eliminazione dei duplicati
- Anni coperti: Medline dal 1966 (1946-1965), Embase dal 1974
- Oltre 27 milioni di records (5 milioni non coperti da Medline)
- Oltre 8000 riviste peer-review (2000 non coperte da Medline)
- Aggiornamento giornaliero dei records completamente indicizzati (10 giorni dalla data di pubblicazione)

Articles in Press e In Process (in Quick Limit) Conference abstracts

In Press

- articoli provenienti da 1000 riviste di 6 editori (Elsevier, Springer, Karger, Nature, Cambridge University Press and IEEE)
- Indicizzati con Emtree considerando solo titolo e riassunto. No subheadings, drug/device trade names & manufacturers, molecular sequence numbers and CAS numbers.
- Sostituiti e completamente indicizzati quando l'articolo viene pubblicato


In Process

Usare questa opzione per limitare la ricerca ad articoli inviati dall'Editore appena disponibili. Anche se l'indicizzazione completa non è ancora disponibile viene fatta una indicizzazione con termini liberi basati sul titolo e riassunto.

- Oltre 3000 conferences abstracts (dal 2009)


Embase più Medline

EMBASE.com unisce EMBASE e MEDLINE in un'unica piattaforma




Aree geografiche coperte

EMBASE



MEDLINE



Dicipline Coperte

- Drug research, pharmacology, pharmaceuticals, pharmacy and toxicology
- Basic biological research relevant to human medicine
- Health policy, management and pharmacoeconomics
- Public, occupational and environmental health
- Rehabilitation and physical therapy
- Biomedical engineering, instrumentation, biotechnology and medical devices
- Complementary (Alternative) medicine

Come creare una strategia di ricerca

Il successo di una ricerca dipende da

- **Una domanda ben definita**
- **Identificarne i singoli componenti**
- **Identificarne i numerosi descrittori e index terms che descrivono i singoli componenti così che sia possibile ricercarli separatamente**
- **Combinare i componenti tra loro con gli operatori booleani**

Sviluppare e definire la vostra domanda

Una domanda ben strutturata deve essere

- Chiara
- Focalizzata

ad esempio

“does listening to music affect anxiety levels?” (potrebbe essere un buon titolo)

NON e' un obiettivo focalizzato

“What are the effects of listening to music on adult patients' pre-procedural state of anxiety in hospital”

E' un obiettivo preciso e focalizzato

Creazione di una stringa di ricerca

- Identificare il quesito
- Identificare gli elementi fondamentali del quesito:
 - *Patient group*: caratteristiche rilevanti dei pz (età, sesso) e malattie concomitanti
 - *Intervention*: nome del trattamento
 - *Comparison*: nome della malattia/farmaco
 - *Outcome*; eventuale misura del risultato di interesse come riduzione di mortalità, frequenza recidive, ecc.
- Identificare il tipo di quesito: fattori di rischio, efficacia di un trattamento, utilità di un test diagnostico, ecc.
- Tradurre i termini in inglese e usare gli operatori logici più appropriati

PICO esempio

In postmenopausal women, do the newer hormone replacement therapies (HRTs) have similar effects in osteoporosis to non-hormonal preparations

Population/ Problem	Intervention	Comparison	Outcome
Postmenopausal women	HRT preparations	Non-HRT preparations	Effect on incidence/ Extent of osteoporosis


Esercizio PICO

In (adult) cardiac surgery patients, is morphine or fentanyl more effective in reducing postoperative pain?

Quando si usa la libera (ti,ab) ricordarsi di..


- **Sinonimi e acronimi**
- **Spelling americano e british**
- **Parole con trattino vs senza trattino**
- **Plurale e singolare**

Come cercare in una banca dati




AND

FIND: A
AND: B
AND: C



OR

FIND: A, B, C



BUT NOT


FIND: A, B
AND:
AND:
BUT NOT: C

Operatore OR


L'operatore OR esegue la somma logica di due o più termini di ricerca; trova tutti gli articoli che contengono almeno uno di essi.



1) haemophilia
2) lisinopril



hemophilia
enalapril




1) haemophilia OR hemophilia
2) lisinopril OR enalapril

Operatore AND


L'operatore AND individua gli articoli che contengono tutti i termini di ricerca



ipertensione



diabete




ipertensione AND diabete

Operatore NOT


L'operatore NOT esclude dalla ricerca gli articoli che contengono un dato termine



ipertensione



diabete



ipertensione NOT diabete

Carattere jolly

- Il carattere *jolly* ("*") consente di ricercare parole che hanno la stessa radice
- Per esempio usando il termine di ricerca *diabet** estendiamo la ricerca a tutti i termini che iniziano con *diabet* compresi *diabetes*, *diabetic*, ecc.
- Si può anche estendere la ricerca al plurale di certi termini. Per esempio con *cancer** estendiamo la ricerca anche al termine *cancers*.

Il record bibliografico di Embase

Exposure to benzene and childhood leukaemia: A pilot case-control study

[Lagorio S.](#), [Ferrante D.](#), [Ranucci A.](#), [Negri S.](#), [Sacco P.](#), [Rondelli R.](#), [Cannizzaro S.](#), [Torregrossa M.V.](#), [Cocco P.](#), [Forastiere F.](#), [Miligi L.](#), [Bisanti L.](#) and [Magnani C.](#)

BMJ Open 2013 3:2 Article Number 002275



Objectives: Main purpose To evaluate the feasibility of a measurement-based assessment of benzene exposure in case-control studies of paediatric cancer; Additional aims To identify the sources of exposure variability; to assess the performance of two benzene biomarkers; to verify the occurrence of participation bias; to check whether exposures to benzene and to 50 Hz magnetic fields were correlated, and might exert reciprocal confounding effects. **Design:** Pilot case-control study of childhood leukaemia and exposure to benzene assessed by repeated seasonal weekly measurements in breathing zone air samples and outside the children's dwellings, with concurrent determinations of cotinine, t-t-muconic acid (MA) and sulfo-phenylmercapturic acid (S-PMA) in urine. **Participants:** 108 cases and 194 controls were eligible for inclusion. **Results:** Full-participation was obtained from 46 cases and 60 controls, with low dropout rates before four repeats (11% and 17%); an additional 23 cases and 80 controls allowed the collection of outdoor air samples only. The average benzene concentration in personal and outdoor air samples was 3 µg/m³ (SD 1.45) and 2.7 µg/m³ (SD 1.41), respectively. Personal exposure was strongly influenced by outdoor benzene concentrations, higher in the cold seasons than in warm seasons, and not affected by gender, age, area of residence or caseness. Urinary excretion of S-PMA and personal benzene exposure were well correlated. Outdoor benzene levels were lower among participant controls compared with non-participants, but did not differ between participant and non-participant cases; the direction of the bias was found to depend on the cut-point chosen to distinguish exposed and unexposed. Exposures to benzene and extremely low-frequency magnetic fields were positively correlated. **Conclusions:** Repeated individual measurements are needed to account for the seasonal variability in benzene exposure, and they have the additional advantage of increasing the study power. Measurement-based assessment of benzene exposure in studies of childhood leukaemia appears feasible, although it is financially and logistically demanding.

Drug Terms

[close all drug terms](#)

acetylcysteine derivative , **benzene** , cotinine , muconic acid , sulfophenylmercapturic acid , unclassified drug 

benzene 

Other Subheadings

drug toxicity

Disease Terms

childhood leukemia 

Other Terms

age , air sampling , article , capillary gas chromatography , case control study , child , controlled study , disease association , **environmental exposure** , female , gender , human , limit of detection , magnetic field , major clinical study , male , parental smoking , passive smoking , pilot study , preschool child , school child , seasonal variation , smoking habit , solid phase extraction , urinalysis , urinary excretion 

Agorio S. ✉: National Centre for Epidemiology, Surveillance and Health Promotion, National Institute of Health, Rome, Italy.

Author Addresses

Agorio S. ✉: National Centre for Epidemiology, Surveillance and Health Promotion, National Institute of Health, Rome, Italy.

Errante D., Ranucci A., Magnani C.: Unit of Medical Statistics and Epidemiology, CPO Piemonte, University Amedeo Avogadro of Piemonte Orientale, Novara, Italy.

Egri S., Sacco P.: Centro Ricerche Ambientali, Fondazione Salvatore Maugeri, Padova and Pavia, Italy.

ondelli R.: Operation Office, Italian Association of Paediatric Haematology and Oncology (AIEOP), Sant'Orsola Malpighi Hospital, Bologna, Italy.

annizzaro S.: Ragusa Section, Italian Cancer League, Ragusa Ibla, Italy.

orregrossa M.V.: Department of Sciences for Health Promotion, University of Palermo, Palermo, Italy.

occo P.: Department of Public Health, Occupational Health Section, University of Cagliari, Cagliari, Italy.

orastiere F.: Department of Epidemiology, Lazio Regional Health Service, Rome, Italy.

ililigi L.: Occupational and Environmental Epidemiology Unit, ISPO Cancer Prevention and Research Institute, Florence, Italy.

isanti L.: Epidemiology Unit, Milan Local Health Agency, Milan, Italy.

Copyright

Copyright 2013 Elsevier B.V., All rights reserved.

Additional Information

Abbreviated Journal Title	BMJ Open
ISSN	20446055 (electronic)
Source Type	Journal
Source Publication Date	2013
Entry Date	2013-03-27 (Full record), 2013-03-22 (Article in Press/In process)
Publication Type	Article
Page Range	
Country of Author	Italy
Country of Source	United Kingdom
Language of Article	English
Language of Summary	English
Embase Accession Number	2013168014
Article Number	002275
Number of References	39
Cited by in Scopus	
CAS Registry Numbers	benzene (71-43-2) cotinine (486-56-6) muconic acid (505-70-4)

- 3 [Location of gliomas in relation to mobile telephone use: A case-case and case-specular analysis](#)
 Larjavaara S., Schüz J., Swerdlow A., Feychting M., Johansen C., Lagorio S., Tynes T., Klæboe L., Schlehofer B., Schoemaker M., Britton J., Mäntylä R., Lönn S., Ahlbom A., Flodmark O., Lilja A., Raitanen J., Heinävaara S., Auvinen A.
American Journal of Epidemiology 2011 **174:1** (2-11) [Cited by: 7](#)

7 documents that cite:

 Analyze results  Set feed

Larjavaara S., Schuz J., Swerdlow A., Feychting M., Johansen C., Lagorio S., Tynes T., (...), Auvinen A.
Location of gliomas in relation to mobile telephone use: A case-case and case-specular analysis
 (2011) *American Journal of Epidemiology*, 174 (1), pp. 2-11.

Search within results

Refine results

Document results: 7 | [Show all abstracts](#)

Page: 1 of 1

With selected:

☐ All  Download |  Export |  Print |  Email |  Create bibliography |  Add to My List |

☐ Page  View citation overview |  View references |  View Cited by

Sort by

	Document title	Author(s)	Date	Source title	Cited by
☐ 1	On the association between glioma, wireless phones, heredity and ionising radiation	Carlberg, M., Hardell, L.	2012	<i>Pathophysiology</i> 19 (4), pp. 243-252	2

[View at publisher](#) |  Show abstract |  Related documents

Gli operatori booleani

1. Infarction	137794
2. Aspirin	31954
3. Infarction <u>AND</u> Aspirin	3765
4. Infarction <u>OR</u> Aspirin	165983
5. Infarction <u>NOT</u> Aspirin	134029

Come cercare in Embase

La ricerca

- Quick search
- Advanced search
 - Field search
- Drug search
- Disease search
- Article search

I risultati

- Registration
- Session results
- Save
- Clipboard
saved
- E-mail alerts
- Saved search

Altro

- **Il dizionario: EMTREE**
- **Lista Journals**
- **Lista Authors**

[Log in](#) | [Register](#)

Quick Search

breast can|

breast cancer	200,759 record(s)
breast cancer ...	+ 9 other terms
breast cancerogenesis <i>use: breast carcinogenesis</i>	6,056 record(s)

a-z index term matches (record counts exclude free text hits)

2007 ▼ to 2011 ▼ or ☒ All Years

[turn off autocomplete](#) [close](#)

Quick Search

breast cancer|

breast cancer antiestrogen resistance 1 protein <i>use: Crk associated substrate protein</i>	245 record(s)
breast cancer cell	91 record(s)
breast cancer etiology	25 record(s)
breast cancer metastasis	54 record(s)
breast cancer metastasis suppressor 1	12 record(s)
breast cancer recurrence <i>use: breast cancer</i>	200,759 record(s)
breast cancer resistance protein	1,936 record(s)
breast cancer resistance protein 1	21 record(s)
breast cancer resistance protein inhibitor	12 record(s)

a-z index term matches (record counts exclude free text hits)

[turn off autocomplete](#) [close](#)

Esercizio con “quick”

Cercare lavori sull'uso del cetuximab per un tumore del colon-retto pubblicati da strutture residenti a Biella

Advanced Search

'breast cancer'

e.g. 'cancer gene therapy'/exp OR ((treatment OR therapy) NEAR/5 fluorouracil):ab - alternatively see our [field limits](#) ⁺

Search

- ☒ Map to preferred terminology (with spell check)
- ☐ Also search as free text
- ☒ Include sub-terms/derivatives (explosion search)
- ☐ Search terms must be of major focus in articles found
- ☐ Search also for synonyms, explosion on preferred terminology

Search Publications from:

2007 to 2011 or ☒ All Years

Records from:

☒ Embase ☒ MEDLINE

Quick Limits:

- ☐ Humans ☐ With abstract ☐ Priority journals ☐ Only in English ☐ Article in Press ☐ In Process
- ☐ Animals ☐ With molecular sequence number ☐ With clinical trial number
- ☐ Records added from to
(dd/mm/yyyy) (dd/mm/yyyy)

Advanced Limits:

⁺ [expand all](#) ⁻ [collapse all](#)

(dd/mm/yyyy)

(dd/mm/yyyy)

Advanced Limits:

☐ [expand all](#) ☐ [collapse all](#)

☐ Evidence Based Medicine:

Limits selected: none

☐ Publication Types:

Limits selected: none

☐ Areas of Focus:

Limits selected: none

☐ Article Languages:

Limits selected: none

☐ Gender:

Limits selected: none

☐ Age Groups:

Limits selected: none

☐ Animal Study Types:

Limits selected: none

Search

Solo embase

[embase]/lim NOT [medline]/lim

Esercizio con “advanced”

Cercare articoli che riportino ricerche effettuate dalla Glaxo per il trattamento del tumore alla mammella.

Drug Search

Drug Name:

e.g. 'low molecular weight heparin'

- ☒ Map to preferred terminology (with spell check)
☐ Also search as free text
☒ Include sub-terms/derivatives (explosion search)
☐ Search terms must be of major focus in articles found

Drug Subheadings:

None 
Adverse drug reaction 
Clinical trial 
Drug administration 
☐ Or ☐ And

Routes of Drug Administration:

None 
Buccal drug administration 
Epidural drug administration 
Inhalational drug administration 
☐ Or ☐ And

Hold down the Shift, Ctrl, or "Apple" key to select or deselect multiple items

Search Publications from:

2007  to 2011  or ☒ All Years

Records from:

☒ Embase ☒ MEDLINE

Quick Limits:

- ☐ Humans ☐ With abstract ☐ Priority journals ☐ Only in English ☐ Article in Press ☐ In Process
☐ Animals ☐ With molecular sequence number ☐ With clinical trial number
☐ Records added from  to 

(dd/mm/yyyy)

(dd/mm/yyyy)

Advanced Limits:

☒ [expand all](#) ☐ [collapse all](#)

☒ Evidence Based Medicine:

Limits selected: none

☒ Publication Types:

Limits selected: none

Esercizio con“Drug”

Cercare studi comparativi tra sunitinib e interferone alfa su riviste importanti

Disease Search

Disease Name:

e.g. 'acute myeloblastic leukaemia'

- ☒ Map to preferred terminology (with spell check)
- ☐ Also search as free text
- ☒ Include sub-terms/derivatives (explosion search)
- ☐ Search terms must be of major focus in articles found

Disease Subheadings:

None
Complication
Congenital disorder
Diagnosis

☐ Or ☐ And

Hold down the Shift, Ctrl, or "Apple" key to select or deselect multiple items



Search Publications from:

2007 to 2011 or ☒ All Years

Records from:

☒ Embase ☒ MEDLINE

Quick Limits:

- ☐ Humans ☐ With abstract ☐ Priority journals ☐ Only in English ☐ Article in Press ☐ In Process
- ☐ Animals ☐ With molecular sequence number ☐ With clinical trial number
- ☐ Records added from to

(dd/mm/yyyy)

(dd/mm/yyyy)

Advanced Limits:

Esercizio con “Disease”

**Prevenzione del tumore del colon
retto: cercare studi clinici
randomizzati e cercare solo articoli
provenienti da embase**

Article Search

Author Name:

Journal Title:

☒ Exact

Abbreviated Journal Title:

☒ Exact

ISSN:

CODEN:

This is only available for titles added before 2005

Volume:

Issue:

First page:

Search Publications from:

2007 to 2011 or ☒ All Years

Search

Session Results

Save Delete Print Email Export Combine using ☒ And ☐ Or Basic Advanced	Change View
☐ Search Query	Results Actions Alerts
☐ #8 'breast cancer'/exp OR 'breast cancer'	244,234 View Email RSS Edit
☐ #6 'breast'/exp OR breast AND ('cancer'/exp OR cancer)	305,379 View Email RSS Edit
☐ #3 'breast cancer'.ti	100,084 View Email RSS Edit
Save Delete Print Email Export	Change View

Refine Search BETA

☒ Journal Title

☒ Publication Type

☒ Publication Year

244,234 Search Results

[View](#) | [Print](#) | [Export](#) | [Email](#) | [Order](#) | [Add to Clipboard](#)

Sort by: ☐ Relevance ☒ Publication Year ☐ Entry Date

Selected: ☐ 0 ([clear](#)), or select first: ☐ 100 ☐ 500 ☐ 5000

- ☐ 1 [Cell proliferation inhibitory and apoptosis-inducing properties of anacardic acid and lunasin in human breast cancer MDA-MB-231 cells](#)
Hsieh C.-C., Hernández-Ledesma B., de Lumen B.O.

13,072 Results for Search #1

[View](#) | [Print](#) | [Export](#) | [Email](#) | [Order](#) | [Add to Clipboard](#)

Export format:

RIS format (Reference Manager, ProCite, EndNote) ▼

Output:

RIS format (Reference Manager, ProCite, EndNote)

RefWorks Direct Export

CSV - Fields by Row

CSV - Fields by Column

Plain Text

• VL: Volume

• IS: Issue

• SP: Start page

• EP: End page

• SN: Serial number (ISSN/ISBN)

• JF: Journal Title (full)

• JO: Journal Title

• UR: Web URL - Full record link to Embase

• L1: PDF link

• L2: Doi/full text link

• A1: Author

• AD: Corresponding author

• T1: Title (English)

• T2: Title (Non-English)

• KW: Keyword

• N2: Abstract

• ER: End of record

Email alert

  | Logged in as Vanna Pistotti |



 Email alerts with citations only will produce an email with a maximum of 500 records.

Set email alert

Alert name

Comments (optional)

Email address(es)

Email addresses should be separated by a semi-colon (;)

Email format

☒ HTML ☐ Text

Content selection

Citations only

Frequency

Every week

 on

Monday

Alert sent

☐ Send an alert only when there are results

Articles in Press and in Process

☒ Include

[Cancel](#) | [Set email alert](#)

Email Alerts

Delete	Import	Export alerts
☐ Select all		
☐ #1 prova		
	Last results	Sent on
	n/a	28 Mar 2013
	Status	●
Delete	Import	Export alerts

Alert details

Alert name

prova

Search query

negri:ad

Mapped terms

Comments

Email address(es)

bib@marionegri.it;

Email format

HTML

Content Selection

Citations and abstracts

Frequency

Every week on Monday

Alert sent

Alert is always sent

Articles in Press and in Process

Included

Date set

28 Mar 2013

Last results

n/a

Last sent

28 Mar 2013

 Alert options

244,234 Search Results

[View](#) | [Print](#) | [Export](#) | [Email](#) | [Order](#) | [Add to Clipboard](#)

Sort by: ☐ Relevance ☒ Publication Year ☐ Entry Date

Selected: ☐ 0 ([clear](#))

- ☐ 1 [Cell proliferation inhibitory and apoptosis-inducing properties of anacardic acid and lunasin in cells](#)

Hsieh C.-C., Hernández-Ledesma B., de Lumen B.O.

Food Chemistry 2011 **125:2** (630-636)

Embase



- ☐ 2 [Isolation and structural characterisation of five new and 14 known metabolites from the comi](#)

Il dizionario : Emtree

Emtree

+ Query Builder

Build a multi-term search query

Find Term

Browse by Facet

diabetes

Type word or phrase (without quotes)

Find Term

diabetes use: [diabetes mellitus](#)

adult onset diabetes use: [non insulin dependent diabetes mellitus](#)

adult onset diabetes mellitus use: [non insulin dependent diabetes mellitus](#)

alloxan diabetes use: [alloxan diabetes mellitus](#)

[alloxan diabetes mellitus](#)

brittle diabetes use: [insulin dependent diabetes mellitus](#)

brittle diabetes mellitus use: [insulin dependent diabetes mellitus](#)

bronze diabetes use: [hemochromatosis](#)

bronzed diabetes use: [hemochromatosis](#)

cerebral diabetes insipidus use: [diabetes insipidus](#)

chemical diabetes use: [impaired glucose tolerance](#)

chemical diabetes mellitus use: [impaired glucose tolerance](#)

diabetes use: [diabetes mellitus](#)

diabetes acidosis use: [diabetic ketoacidosis](#)

diabetes and deafness, maternally inherited use: [maternally inherited diabetes and deafness](#)

diabetes angiopathy use: [diabetic angiopathy](#)

[diabetes assay ELISA kit](#)

diabetes associated peptide use: [amylin](#)

diabetes coma use: [diabetic coma](#)

diabetes complications use: [diabetes mellitus](#)

For term: 'diabetes mellitus'

Extend your search: ☒ Explosion ☐ As major focus

[Take this query to Disease Search](#) or

[Add to Query Builder](#) →

[Entree](#)

- diseases
 - physical disease
 - physical disease by anatomical structure
 - endocrine disease
 - pancreas islet disease
 - diabetes mellitus 545,191 Records
 - + ○ [diabetic angiopathy](#)
 - [diabetic cardiomyopathy](#)
 - [diabetic coma](#)
 - [diabetic foot](#)
 - [diabetic hypertension](#)
 - [diabetic ketoacidosis](#)
 - [diabetic macular edema](#)
 - [diabetic nephropathy](#)
 - [diabetic neuropathy](#)
 - [diabetic obesity](#)
 - [diabetic retinopathy](#)
 - + ○ [experimental diabetes mellitus](#)
 - [impaired glucose tolerance](#)
 - [insulin dependent diabetes mellitus](#)
 - [linguistic diabetes mellitus](#)

Esercizi con Emtree

Cercare meta-analisi su hyperemesis gravidarum in inglese e pubblicate dal 1990 . Restringere per un miglior risultato a “Major term”

Browse Journals

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

Only journal titles indexed for Embase are listed. Journal titles that are unique to MEDLINE do not appear in this alphabetical listing.

Journals(A)

AANA Journal	 about
AAOHN Journal	 about
AAPS PharmSci	 about
AAPS PharmSciTech	 about
ACC Current Journal Review	 about
AIDS	 about
AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV	 about
AIDS Education and Prevention	 about
AIDS Patient Care	 about
AIDS Patient Care and STDs	 about
AIDS Reader	 about
AIDS Research and Human Retroviruses	 about
AIDS Research and Therapy	 about
AIDS Research and Treatment	 about

Find Author

Find

e.g. Smith J.A.

Searching the Web via SCIRUS

- ☐ 22 [Home blood pressure monitoring in CKD](#)
Andersen M.J., Khawandi W., Agarwal R.
Am. J. Kidney Dis. 2005 **45:6** (994-1001) EMBASE [Full Text from CrossRef](#)
- ☐ 23 [Ambulatory BP monitoring better than home monitoring for ruling out white-coat hypertension](#)
Saseen J.
J. Fam. Pract. 2005 **54:6** (549) EMBASE [No abstract available]
- ☐ 24 [What is the best way to identify patients with white-coat hypertension?](#)
Fisher M., Blackwell J.
J. Fam. Pract. 2005 **54:6** (549-552) EMBASE [No abstract available]
- ☐ 25 [Transforaminal epidural injection induces hypertensive crisis in a patient whose nifedipine was withdrawn](#)
Margolin L., Tuluca L., Kaylakov R.
Clin. Drug Invest. 2005 **25:5** (353-354) EMBASE [No abstract available]

[△ Back to Top](#)

Result set 1- 25 

Search the Web for:

Search



powered by
SCIRUS
www.scirus.com

Searching the Web via SCIRUS

SCIRUS
for scientific information only

Trial
EMBASE.com



[About Us](#) | [Newsroom](#) | [Advisory Board](#) | [Submit Web Site](#) | [Search Tips](#) | [Contact Us](#)

Basic Search | [Advanced Search](#) | [Search Preferences](#)

☐ All journal sources ☒ All Web sources ☐ Exact phrase

Searched for:	All of the words "white coat hypertension"
Found:	1,884 total 4 journal results 1,880 Web results
Sort by:	relevance date

☐

1. [White-Coat Hypertension Not Serious Health Threat, Study Says](#)
Apr 2003
White-Coat Hypertension Not Serious Health Threat, Study...Maintain Decrease View Results **White-Coat Hypertension** Not Serious Health Threat, Study...pressure, but researchers say this **white-coat hypertension** is temporary and does not pose...
[more hits from](#) [http://www.psigrp.com/dg/bbe56.htm]
[similar results](#)

☐

2. [Withholding treatment in white-coat hypertension: wishful thinking \[CMAJ\] - August 10, 1999\]](#)
J. David / Spence, MD, Dec 2001
Withholding treatment in **white-coat hypertension**: wishful thinking J. David...275-6 See also: Letter: **White-coat hypertension** Evidence: Prevalence and...white-coat effect" and "**white-coat hypertension**," the whole while having...
[more hits from](#) [http://collection.nlm-bnc.ca/100/201/300/cdn_medical_a...] [similar results](#)

☐

3. [WCN: More Evidence that "White Coat Hypertension" Is Not So Benign](#)
Jan 2005
...WCN: More Evidence that "**White Coat Hypertension**" Is Not So Benign URL: http...that people with so-called "**white-coat hypertension**" have impaired endothelial...may be another sign that **white-coat hypertension** is not an innocent phenomenon...
[more hits from](#) [http://www.docguide.com/dg.nsf/PrintPrint/05E134357733...] [similar results](#)

Refine your search using these keywords found in the results:

[10 year follow-up](#)
[ambulatory monitoring](#)
[ambulatory pressure](#)
[blood pressure measurement](#)
[flow mediated dilation](#)
[follow up period](#)
[hypertensive subjects](#)
[normotensive](#)
[systolic](#)
[systolic blood pressure](#)
[target organ](#)
[target organ damage](#)
[ventricular](#)
[ventricular hypertrophy](#)

Or refine using:

All of the words